



## Quality of Cotton Classed by Classing Office

Volume 57, No. 24

29-Jan-16

NUMBER SAMPLES CLASSED FOR PRODUCERS, BY **CLASSING OFFICE**  
*For The Week Ending January 28, 2016*

<b>Classing Office</b>	<b>Week</b>		<b>Season</b>	
	Gins	Bales	Gins	Bales
<b>UPLAND</b>				
Abilene	42	58,628	46	917,984
Corpus Christi *	2	-	60	757,798
Dumas	-	-	41	603,109
Florence	11	1,252	61	790,035
Lamesa	27	59,388	43	1,510,477
Lubbock	35	69,985	74	2,470,606
Macon	44	24,051	80	2,655,379
Memphis	-	-	86	1,336,330
Rayville *	1	-	20	207,825
Visalia	12	8,933	42	445,540
<b>United States</b>	<b>174</b>	<b>222,237</b>	<b>553</b>	<b>11,695,083</b>
Percent tenderable		52.6		55.6
<b>AMERICAN PIMA</b>				
Visalia	10	9,109	28	414,095
<b>United States</b>	<b>10</b>	<b>9,109</b>	<b>28</b>	<b>414,095</b>
<b>United States all cotton</b>	<b>183</b>	<b>231,351</b>	<b>566</b>	<b>12,109,183</b>

\* Data withheld to avoid disclosure of individual gin or less than 500 bales classed.

MP\_CN100

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending January 28, 2016**

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
	3	1.6	13.4	-	16.9	-	7.2	-	0.1	9.2	10.5	
	4	1.6	5.7	-	11.3	-	14.3	-	0.1	5.1	6.1	
	5	0.3	0.8	-	1.5	-	2.0	-	*	0.4	0.6	
	6	-	*	-	0.1	-	*	-	-	*	*	
	7	-	*	-	*	-	*	-	-	-	*	
	<b>Total</b>	----	<b>3.4</b>	<b>19.9</b>	----	<b>29.8</b>	----	<b>23.6</b>	----	<b>0.2</b>	<b>14.8</b>	<b>17.2</b>
31	1-2	6.7	5.2	-	4.9	-	4.3	-	0.2	13.1	8.4	
	3	15.2	14.9	-	14.0	-	24.7	-	0.9	24.7	20.4	
	4	6.9	8.1	-	4.9	-	23.0	-	0.5	8.6	10.4	
	5	1.8	2.0	-	0.7	-	4.6	-	0.1	1.2	2.0	
	6	0.5	0.3	-	0.1	-	0.3	-	*	0.1	0.1	
	7	*	*	-	*	-	*	-	-	*	*	
	<b>Total</b>	----	<b>31.1</b>	<b>30.5</b>	----	<b>24.6</b>	----	<b>56.9</b>	----	<b>1.6</b>	<b>47.6</b>	<b>41.3</b>
41	1-2	2.4	0.9	-	1.1	-	0.3	-	0.8	3.4	1.0	
	3	11.7	5.4	-	7.1	-	1.9	1.2	3.7	10.3	4.3	
	4	12.0	6.2	-	4.8	-	3.7	0.2	2.4	7.0	6.0	
	5	4.6	3.2	-	1.2	-	2.9	-	0.5	2.6	4.1	
	6	1.3	1.2	-	0.2	-	0.8	-	*	0.5	1.5	
	7	0.3	0.4	-	*	-	0.1	-	-	0.1	0.4	
	<b>Total</b>	----	<b>32.3</b>	<b>17.2</b>	----	<b>14.3</b>	----	<b>9.5</b>	----	<b>1.4</b>	<b>7.4</b>	<b>23.8</b>
51	1-2	0.1	*	-	0.1	-	0.1	2.4	1.1	-	*	
	3	0.1	0.1	-	0.5	-	0.7	21.3	7.8	*	*	
	4	0.3	0.1	-	0.7	-	1.1	2.2	6.0	*	*	
	5	0.3	0.1	-	0.4	-	0.4	-	1.3	0.1	0.1	
	6	0.1	0.1	-	0.1	-	0.1	-	0.1	0.1	0.1	
	7	0.1	0.1	-	*	-	*	-	*	*	0.1	
	<b>Total</b>	----	<b>1.1</b>	<b>0.5</b>	----	<b>1.7</b>	----	<b>2.4</b>	----	<b>25.9</b>	<b>16.4</b>	<b>0.3</b>
61	1-2	-	-	-	*	-	*	1.4	0.1	-	-	
	3	-	-	-	*	-	*	16.6	0.5	-	-	
	4	-	-	-	*	-	*	1.4	0.5	-	-	
	5	-	*	-	*	-	*	-	0.2	-	-	
	6	-	-	-	*	-	*	-	*	-	-	
	7	-	-	-	*	-	*	-	*	-	-	
	<b>Total</b>	----	-	*	-	*	-	*	<b>19.5</b>	<b>1.3</b>	-	-
71	1-2	-	-	-	*	-	-	0.1	*	-	-	
	3	-	-	-	-	-	*	0.3	*	-	*	
	4	-	-	-	-	-	-	-	0.1	-	-	
	5	-	-	-	-	-	-	-	*	-	-	
	6	-	-	-	-	-	-	-	*	-	-	
	7	-	-	-	*	-	-	-	*	-	-	
	<b>Total</b>	----	-	-	*	-	*	-	<b>0.4</b>	<b>0.1</b>	-	*
12 & 22	1-2	0.3	3.8	-	2.4	-	0.1	-	*	0.5	2.7	
	3	0.2	2.3	-	3.0	-	0.2	-	*	0.7	1.8	
	4	*	0.4	-	0.9	-	0.1	-	-	0.1	0.3	
	5	*	*	-	0.1	-	*	-	-	*	*	
	6	-	*	-	*	-	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	----	<b>0.5</b>	<b>6.5</b>	----	<b>6.4</b>	----	<b>0.3</b>	----	*	<b>1.3</b>	<b>4.7</b>
32	1-2	2.4	2.4	-	0.7	-	0.1	-	0.1	1.7	1.7	
	3	4.5	5.6	-	3.9	-	0.4	-	0.2	4.2	5.2	
	4	1.0	2.7	-	2.8	-	0.6	-	0.1	1.4	3.2	
	5	0.1	0.7	-	0.4	-	0.2	-	*	0.3	0.8	
	6	0.1	0.1	-	0.1	-	*	-	*	*	0.1	
	7	0.1	*	-	*	-	*	-	*	-	*	
	<b>Total</b>	----	<b>8.3</b>	<b>11.5</b>	----	<b>7.9</b>	----	<b>1.3</b>	----	<b>0.5</b>	<b>7.6</b>	<b>11.1</b>
42	1-2	1.0	0.4	-	0.6	-	*	-	0.3	0.3	0.1	
	3	5.7	2.6	-	4.7	-	0.7	0.2	2.9	1.4	1.0	
	4	4.9	2.8	-	5.4	-	1.1	-	2.4	1.1	1.7	
	5	1.8	1.3	-	1.4	-	0.4	-	0.5	0.3	1.2	
	6	0.3	0.4	-	0.3	-	*	-	*	0.1	0.5	
	7	0.2	0.1	-	0.1	-	*	-	*	*	0.1	
	<b>Total</b>	----	<b>13.8</b>	<b>7.7</b>	----	<b>12.4</b>	----	<b>2.3</b>	----	<b>0.2</b>	<b>6.1</b>	<b>3.2</b>
52	1-2	*	*	-	*	-	*	0.2	1.3	-	*	
	3	*	*	-	0.5	-	0.9	13.0	16.3	*	*	
	4	0.1	0.1	-	0.9	-	1.8	5.8	18.6	*	*	
	5	0.2	0.1	-	0.3	-	0.5	-	4.6	*	*	
	6	0.1	0.1	-	0.1	-	*	-	0.4	*	*	
	7	*	*	-	*	-	*	-	*	*	*	
	<b>Total</b>	----	<b>0.5</b>	<b>0.3</b>	----	<b>1.8</b>	----	<b>3.2</b>	----	<b>18.9</b>	<b>41.2</b>	<b>0.1</b>

\* Less than 0.05 percent.

Page 2

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending January 28, 2016**

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 62	1-2	-	*	-	*	-	*	0.3	0.3	-	-
	3	-	*	-	*	-	*	11.7	4.2	-	-
	4	-	-	-	*	-	0.1	6.7	5.8	-	-
	5	-	*	-	*	-	*	0.3	1.8	-	-
	6	-	-	-	*	-	*	0.1	0.2	-	*
	7	*	*	-	*	-	-	-	*	-	*
	<b>Total</b>	----	*	*	-	*	0.1	<b>19.1</b>	<b>12.4</b>	-	*
13 & 23	1-2	*	0.5	-	*	-	*	-	-	*	0.3
	3	0.1	0.3	-	0.1	-	*	-	-	0.1	0.2
	4	*	0.1	-	*	-	*	-	-	*	*
	5	*	*	-	*	-	-	-	-	-	*
	6	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	----	<b>0.1</b>	<b>0.8</b>	-	<b>0.2</b>	-	*	-	<b>0.2</b>	<b>0.5</b>
33	1-2	0.5	0.4	-	*	-	*	-	*	0.1	0.2
	3	1.3	1.0	-	0.1	-	*	-	*	0.5	0.8
	4	0.5	0.5	-	0.1	-	*	-	*	0.1	0.5
	5	0.1	0.1	-	*	-	*	-	*	*	0.1
	6	*	*	-	*	-	-	-	*	*	*
	7	-	*	-	-	-	-	-	-	-	*
	<b>Total</b>	----	<b>2.3</b>	<b>2.1</b>	-	<b>0.2</b>	-	*	-	<b>0.7</b>	<b>1.6</b>
43	1-2	0.2	0.1	-	*	-	*	-	*	*	*
	3	1.1	0.5	-	0.1	-	*	0.4	0.2	0.1	0.3
	4	1.8	0.8	-	0.1	-	0.1	-	0.2	0.1	0.4
	5	0.9	0.4	-	0.1	-	*	-	0.1	*	0.2
	6	0.3	0.1	-	*	-	*	-	*	*	0.1
	7	0.1	*	-	*	-	*	-	*	*	*
	<b>Total</b>	----	<b>4.3</b>	<b>2.0</b>	-	<b>0.4</b>	-	<b>0.1</b>	<b>0.4</b>	<b>0.6</b>	<b>0.3</b>
53	1-2	-	*	-	*	-	*	-	0.1	*	*
	3	*	*	-	*	-	*	1.9	1.7	*	*
	4	0.2	*	-	*	-	0.1	2.0	2.8	*	*
	5	0.3	0.1	-	*	-	*	0.1	1.0	*	*
	6	0.1	*	-	*	-	*	-	0.1	-	*
	7	*	*	-	*	-	*	-	*	-	*
	<b>Total</b>	----	<b>0.6</b>	<b>0.1</b>	-	<b>0.1</b>	-	<b>0.1</b>	<b>4.0</b>	<b>5.7</b>	*
63	1-2	-	*	-	*	-	-	-	*	-	-
	3	-	*	-	*	-	*	3.6	1.1	-	*
	4	-	-	-	*	-	*	3.8	2.2	-	*
	5	-	*	-	*	-	*	0.6	1.0	-	-
	6	-	*	-	*	-	*	-	0.2	-	*
	7	*	*	-	*	-	-	-	*	-	-
	<b>Total</b>	----	*	*	-	*	-	*	<b>8.0</b>	<b>4.6</b>	-
24 - 54	1-7	1.2	0.6	-	0.1	-	*	0.2	0.2	0.1	0.2
25 - 35	1-7	-	-	-	-	-	-	-	-	-	-
81 - 85 1/	1-7	0.2	*	-	*	-	*	2.0	1.7	*	*
All Colors	8 2/	<b>0.4</b>	<b>0.2</b>	-	*	-	*	*	*	*	*
<b>EXTRANEIOUS MATTER</b>											
Bark - Level 1		26.8	14.4	-	5.6	-	1.2	-	2.0	22.8	14.3
Bark - Level 2		-	*	-	*	-	-	-	-	-	-
Grass - Level 1		*	*	-	0.5	-	0.1	-	*	*	*
Grass - Level 2		-	-	-	*	-	-	-	-	-	-
Prep - Level 1		*	*	-	*	-	*	-	*	*	*
Prep - Level 2		-	-	-	-	-	-	-	-	-	-
Other - Level 1		-	*	-	*	-	*	-	-	-	-
Other - Level 2		-	-	-	-	-	-	-	-	-	-
<b>STAPLE</b>											
28 & shorter		-	*	-	-	-	-	-	-	-	-
29		-	*	-	*	-	-	-	-	-	*
30		0.1	*	-	0.1	-	-	-	*	*	0.1
31		0.7	0.4	-	1.3	-	*	-	0.2	0.1	0.3
32		3.3	3.1	-	4.3	-	*	0.6	2.5	0.8	2.0
33		10.4	10.6	-	8.7	-	0.6	7.2	10.4	4.9	7.8
34		20.6	17.5	-	14.5	-	3.2	16.0	23.7	21.0	18.7
35		24.5	19.4	-	20.8	-	11.8	22.8	28.2	30.3	26.8
36		21.6	21.2	-	23.3	-	28.4	31.6	21.1	27.3	22.3
37		13.9	19.5	-	20.6	-	43.6	20.8	11.9	12.6	14.5
38 & longer		5.0	8.2	-	6.3	-	12.3	1.0	1.9	3.1	7.5
<b>Average staple</b>		<b>35.1</b>	<b>35.4</b>	-	<b>35.3</b>	-	<b>36.5</b>	<b>35.4</b>	<b>35.0</b>	<b>35.3</b>	<b>35.4</b>

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending January 28, 2016**

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	2	2.8	9.0	*	0.5	-	3.3	-	6.8	1.4	31.6
	3	6.7	11.2	*	0.4	-	6.8	-	5.4	0.9	8.4
	4	1.7	2.9	*	*	-	1.0	-	0.3	*	0.6
	5	0.1	0.3	-	*	-	*	-	*	-	*
	6	*	*	-	-	-	*	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-
<b>Total</b>	----	<b>11.4</b>	<b>23.4</b>	*	<b>0.9</b>	-	<b>11.1</b>	-	<b>12.6</b>	<b>2.3</b>	<b>40.6</b>
31	1-2	7.0	4.4	0.8	3.1	-	2.5	-	6.9	8.7	12.6
	3	25.8	20.1	1.7	11.2	-	22.4	-	27.2	17.6	14.9
	4	16.4	18.7	0.2	2.8	-	21.4	-	12.0	2.4	3.5
	5	3.1	5.6	-	0.2	-	4.5	-	1.3	0.1	0.5
	6	0.2	0.7	-	*	-	0.2	-	0.1	-	*
	7	*	0.1	-	*	-	*	-	*	-	*
<b>Total</b>	----	<b>52.6</b>	<b>49.6</b>	<b>2.8</b>	<b>17.3</b>	-	<b>51.0</b>	-	<b>47.6</b>	<b>28.7</b>	<b>31.5</b>
41	1-2	0.7	0.1	1.2	2.0	-	0.7	-	0.7	3.7	2.7
	3	7.1	1.8	12.6	18.6	-	5.8	-	8.6	19.1	9.9
	4	11.2	5.1	5.8	11.8	-	9.8	-	13.4	12.9	5.4
	5	6.3	5.1	0.5	1.7	-	6.9	-	5.3	5.5	1.8
	6	1.5	2.3	*	0.1	-	1.8	-	1.2	1.3	0.5
	7	0.3	0.7	-	*	-	0.2	-	*	0.4	0.1
<b>Total</b>	----	<b>27.1</b>	<b>15.1</b>	<b>20.0</b>	<b>34.2</b>	-	<b>25.2</b>	-	<b>29.2</b>	<b>43.0</b>	<b>20.3</b>
51	1-2	-	*	0.7	0.2	-	0.2	-	0.2	0.1	0.1
	3	*	*	7.4	3.2	-	1.6	-	0.9	0.7	0.3
	4	*	*	6.7	2.9	-	2.3	-	0.3	1.0	0.3
	5	0.1	*	1.2	0.7	-	1.2	-	0.1	1.5	0.2
	6	0.1	*	0.2	0.1	-	0.3	-	*	1.3	0.1
	7	*	*	*	*	-	*	-	*	0.5	0.1
<b>Total</b>	----	<b>0.3</b>	<b>0.1</b>	<b>16.2</b>	<b>7.0</b>	-	<b>5.6</b>	-	<b>1.5</b>	<b>5.1</b>	<b>1.1</b>
61	1-2	-	*	*	*	-	-	-	*	-	-
	3	-	-	0.6	*	-	*	-	*	-	-
	4	-	-	0.3	*	-	*	-	*	-	*
	5	-	*	*	*	-	*	-	*	*	*
	6	-	*	*	*	-	*	-	*	*	*
	7	-	*	-	*	-	*	-	-	-	*
<b>Total</b>	----	-	*	<b>0.9</b>	*	-	*	-	<b>0.1</b>	<b>0.1</b>	*
71	1-2	-	*	-	*	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-
	4	-	*	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	-	*	-	*	-	-	-	-	-	-
12 & 22	1-2	0.2	0.9	*	*	-	*	-	0.1	-	1.3
	3	0.3	1.3	*	*	-	*	-	0.3	0.3	0.7
	4	0.2	0.6	-	*	-	*	-	*	0.1	0.1
	5	*	0.1	-	*	-	*	-	*	-	*
	6	-	*	-	-	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-
<b>Total</b>	----	<b>0.6</b>	<b>2.9</b>	*	<b>0.1</b>	-	<b>0.1</b>	-	<b>0.4</b>	<b>0.5</b>	<b>2.1</b>
32	1-2	0.7	0.5	0.1	0.3	-	*	-	0.5	-	0.3
	3	2.5	2.1	0.4	1.6	-	0.2	-	1.5	0.2	0.9
	4	1.1	2.2	0.2	0.6	-	0.3	-	0.7	0.3	0.4
	5	0.2	1.1	*	0.1	-	0.1	-	0.1	0.1	0.1
	6	*	0.3	-	*	-	*	-	*	-	*
	7	-	0.1	-	-	-	*	-	-	-	*
<b>Total</b>	----	<b>4.5</b>	<b>6.3</b>	<b>0.6</b>	<b>2.6</b>	-	<b>0.6</b>	-	<b>2.8</b>	<b>0.7</b>	<b>1.8</b>
42	1-2	0.1	*	0.4	0.5	-	0.1	-	0.2	-	0.1
	3	0.7	0.2	4.8	8.0	-	1.3	-	1.2	0.2	0.6
	4	0.9	0.5	5.3	8.4	-	1.8	-	1.5	1.0	0.5
	5	0.5	0.5	0.8	1.5	-	0.4	-	0.7	1.6	0.3
	6	0.2	0.3	*	0.1	-	*	-	0.1	0.6	0.1
	7	*	0.1	-	*	-	*	-	-	0.2	*
<b>Total</b>	----	<b>2.4</b>	<b>1.7</b>	<b>11.3</b>	<b>18.5</b>	-	<b>3.6</b>	-	<b>3.8</b>	<b>3.6</b>	<b>1.7</b>
52	1-2	*	*	0.7	0.2	-	*	-	0.1	-	*
	3	*	*	7.8	4.5	-	0.8	-	0.9	*	0.1
	4	*	*	10.5	7.0	-	1.1	-	0.4	0.6	0.1
	5	*	*	2.5	1.9	-	0.4	-	0.2	4.2	0.1
	6	*	*	0.3	0.2	-	0.1	-	*	3.6	0.1
	7	*	*	*	*	-	*	-	-	1.3	0.1
<b>Total</b>	----	*	*	<b>21.8</b>	<b>13.8</b>	-	<b>2.4</b>	-	<b>1.5</b>	<b>9.7</b>	<b>0.4</b>

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending January 28, 2016**

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 62	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	*	*	0.3	*	-	*	-	*	-	-
	3	-	*	3.4	0.1	-	*	-	*	-	-
	4	-	*	3.3	0.1	-	*	-	*	-	*
	5	-	*	0.4	*	-	*	-	*	0.2	*
	6	-	*	*	*	-	*	-	*	0.8	*
	7	-	-	*	*	-	*	-	*	0.5	*
<b>Total</b>	----	*	*	<b>7.4</b>	<b>0.3</b>	-	*	-	*	<b>1.6</b>	*
13 & 23	1-2	*	*	-	*	-	*	-	*	-	*
	3	*	0.1	*	*	-	*	-	*	*	*
	4	*	*	-	*	-	*	-	*	-	*
	5	-	*	-	-	-	-	-	-	-	-
	6	-	*	-	-	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-
<b>Total</b>	----	*	<b>0.2</b>	*	*	-	*	-	*	*	*
33	1-2	0.1	*	-	*	-	*	-	*	-	*
	3	0.3	0.1	0.1	0.1	-	*	-	0.1	-	*
	4	0.1	0.2	0.1	*	-	*	-	*	-	*
	5	*	0.1	-	*	-	*	-	*	-	*
	6	*	*	-	*	-	*	-	*	-	*
	7	-	*	-	-	-	-	-	-	-	*
<b>Total</b>	----	<b>0.4</b>	<b>0.4</b>	<b>0.1</b>	<b>0.2</b>	-	<b>0.1</b>	-	<b>0.1</b>	-	<b>0.1</b>
43	1-2	*	*	0.1	*	-	*	-	*	-	*
	3	0.1	*	1.1	0.6	-	*	-	0.1	*	*
	4	0.2	*	2.0	0.7	-	0.1	-	0.1	*	*
	5	0.2	*	0.4	0.2	-	*	-	*	0.1	*
	6	0.1	*	*	*	-	*	-	*	*	*
	7	*	*	-	*	-	*	-	*	*	*
<b>Total</b>	----	<b>0.6</b>	<b>0.2</b>	<b>3.6</b>	<b>1.6</b>	-	<b>0.2</b>	-	<b>0.2</b>	<b>0.3</b>	<b>0.1</b>
53	1-2	-	*	0.1	*	-	*	-	*	-	*
	3	*	*	1.5	0.6	-	*	-	0.1	-	*
	4	*	*	4.3	1.5	-	*	-	0.1	*	*
	5	*	*	1.4	0.7	-	*	-	*	0.5	*
	6	*	*	0.1	0.1	-	*	-	*	0.6	*
	7	*	*	*	*	-	*	-	*	0.2	*
<b>Total</b>	----	*	*	<b>7.5</b>	<b>2.9</b>	-	<b>0.1</b>	-	<b>0.2</b>	<b>1.3</b>	<b>0.1</b>
63	1-2	-	*	*	*	-	-	-	-	-	-
	3	*	*	0.9	*	-	*	-	-	-	-
	4	-	*	2.2	0.1	-	*	-	*	*	*
	5	-	*	0.7	0.1	-	*	-	*	0.3	*
	6	-	*	*	*	-	*	-	*	0.7	*
	7	-	-	*	*	-	*	-	*	0.5	*
<b>Total</b>	----	*	*	<b>4.0</b>	<b>0.3</b>	-	*	-	-	<b>1.5</b>	*
24 - 54	1-7	*	*	1.2	0.2	-	*	-	*	-	*
25 - 35	1-7	-	*	-	*	-	-	-	-	-	-
81 - 85 1/	1-7	*	*	2.4	0.1	-	*	-	*	*	*
All Colors	8 2/	*	<b>0.1</b>	*	*	-	*	-	*	<b>1.7</b>	<b>0.2</b>
<b>EXTRANEIOUS MATTER</b>											
Bark - Level 1		39.1	22.9	3.4	2.4	-	1.5	-	0.7	27.6	1.7
Bark - Level 2		-	-	-	*	-	-	-	-	-	-
Grass - Level 1		*	*	*	0.1	-	*	-	0.1	-	0.1
Grass - Level 2		-	-	-	*	-	-	-	-	-	-
Prep - Level 1		*	*	17.1	5.4	-	0.2	-	*	-	*
Prep - Level 2		-	*	-	*	-	-	-	-	-	-
Other - Level 1		-	*	*	*	-	*	-	*	-	*
Other - Level 2		-	-	-	-	-	-	-	-	-	-
<b>STAPLE</b>											
28 & shorter		-	-	-	-	-	-	-	-	-	-
29		*	*	-	-	-	-	-	-	-	-
30		*	*	-	*	-	-	-	-	-	-
31		0.1	0.2	*	*	-	*	-	*	-	*
32		1.2	1.2	1.1	0.3	-	*	-	0.6	0.2	*
33		6.1	5.2	7.3	2.1	-	0.2	-	3.8	0.7	0.3
34		17.3	13.8	19.2	8.6	-	1.0	-	11.9	3.2	2.4
35		25.9	22.2	28.3	21.7	-	4.7	-	23.8	18.4	11.8
36		23.7	21.7	22.5	32.3	-	13.9	-	28.0	37.7	24.9
37		17.8	20.0	17.6	27.7	-	42.9	-	25.6	27.3	35.3
38 & longer		7.8	15.7	4.0	7.4	-	37.3	-	6.4	12.4	25.2
<b>Average staple</b>		<b>35.5</b>	<b>35.9</b>	<b>35.3</b>	<b>36.0</b>	-	<b>37.2</b>	-	<b>35.8</b>	<b>36.3</b>	<b>36.9</b>

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending January 28, 2016**

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-
20	-	*	-	*	-	-	-	-	-	*
21	-	*	-	*	-	-	-	*	-	*
22	*	*	-	0.1	-	-	0.1	*	*	*
23	*	*	-	0.1	-	-	-	0.2	*	*
24	0.4	0.2	-	0.3	-	*	17.5	1.5	0.1	0.1
25	1.0	0.4	-	0.9	-	*	7.2	5.7	0.2	0.3
26	2.3	1.0	-	2.1	-	*	9.7	12.7	0.5	0.9
27	4.4	2.9	-	4.3	-	0.2	9.3	19.3	2.1	2.9
28	9.7	7.9	-	8.2	-	1.1	22.4	22.0	8.0	7.7
29	17.1	15.0	-	13.2	-	3.7	10.6	18.4	18.6	15.7
30	20.2	19.4	-	17.9	-	9.2	5.9	11.4	24.6	23.3
31	19.9	21.3	-	18.2	-	13.7	14.5	5.6	23.5	21.8
32	14.2	17.2	-	15.0	-	19.0	2.6	2.1	13.4	14.7
33	6.7	9.9	-	10.2	-	21.6	0.1	0.8	6.1	8.1
34	2.7	3.5	-	5.9	-	18.9	-	0.2	2.3	3.3
35	1.1	0.9	-	2.7	-	9.3	0.1	0.1	0.5	1.0
36 & above	0.2	0.2	-	1.0	-	3.3	-	*	0.1	0.3
<b>Average</b>	<b>30.1</b>	<b>30.5</b>	-	<b>30.6</b>	-	<b>32.5</b>	<b>27.5</b>	<b>28.0</b>	<b>30.3</b>	<b>30.4</b>
MIKE										
24 & below	0.1	*	-	*	-	*	-	-	0.1	*
25	0.2	*	-	*	-	*	-	*	0.1	*
26	0.1	*	-	*	-	*	-	*	0.1	*
27	0.2	0.1	-	*	-	*	-	*	0.1	*
28	0.1	0.1	-	*	-	*	-	*	0.1	0.1
29	0.3	0.1	-	*	-	*	-	*	0.2	0.2
30	0.4	0.2	-	*	-	*	-	*	0.3	0.2
31	0.7	0.4	-	0.1	-	*	-	*	0.4	0.4
32	1.2	0.6	-	0.1	-	*	-	*	0.5	0.6
33	1.3	0.9	-	0.3	-	*	-	*	0.8	0.8
34	1.8	1.4	-	0.5	-	*	-	0.1	1.2	1.2
35	2.1	2.0	-	1.0	-	0.1	-	0.1	1.4	1.6
36	2.2	2.9	-	1.7	-	0.1	-	0.1	1.5	2.2
37	2.6	3.7	-	2.6	-	0.2	-	0.2	2.7	2.9
38	3.3	4.7	-	3.6	-	0.3	4.2	0.3	4.3	3.7
39	3.6	5.8	-	4.6	-	0.4	1.8	0.5	5.1	4.7
40	4.1	6.5	-	5.9	-	0.5	1.3	0.7	6.6	5.6
41	4.8	7.2	-	6.7	-	0.8	1.8	1.0	7.9	6.9
42	6.4	7.6	-	7.8	-	1.1	2.2	1.5	9.7	8.6
43	7.7	8.1	-	8.2	-	1.5	1.5	2.2	9.8	10.0
44	8.4	8.7	-	8.8	-	2.6	6.1	3.4	11.9	11.0
45	9.4	9.1	-	9.2	-	4.4	1.8	5.2	12.5	10.9
46	10.7	8.7	-	8.9	-	6.1	3.0	7.1	10.1	9.6
47	10.4	7.6	-	8.3	-	7.9	10.5	9.3	6.5	7.5
48	8.4	5.9	-	7.5	-	9.9	5.0	11.5	3.5	5.4
49	4.6	4.0	-	5.9	-	12.5	9.5	13.5	1.8	3.1
50	2.8	2.3	-	4.1	-	13.2	12.1	13.5	0.7	1.6
51	1.1	1.0	-	2.3	-	12.4	24.2	11.7	0.3	0.7
52	0.5	0.3	-	1.2	-	10.5	9.7	9.0	0.1	0.3
53	0.2	0.1	-	0.4	-	8.0	4.2	5.5	*	0.1
54	0.2	*	-	0.1	-	4.7	1.1	2.7	*	*
55	*	*	-	*	-	2.2	-	0.9	*	*
56	-	*	-	*	-	0.4	-	0.2	-	*
57	-	*	-	*	-	*	-	*	-	-
58	-	-	-	*	-	*	-	*	-	-
59	-	-	-	-	-	-	-	*	-	-
60 & above	-	-	-	-	-	-	-	*	-	-
<b>Average</b>	<b>43</b>	<b>43</b>	-	<b>44</b>	-	<b>49</b>	<b>48</b>	<b>49</b>	<b>43</b>	<b>43</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending January 28, 2016**

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
17 & below	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-
20	-	-	-	*	-	-	-	-	-	-
21	-	*	-	*	-	-	-	-	-	-
22	*	*	*	*	-	-	-	-	-	-
23	*	*	0.5	*	-	*	-	-	-	-
24	0.2	0.1	4.1	0.3	-	*	-	*	*	*
25	0.4	0.5	10.7	1.9	-	*	-	0.1	0.2	0.1
26	1.1	1.2	19.7	5.9	-	0.1	-	0.5	1.4	0.3
27	2.8	2.9	26.0	13.4	-	0.5	-	1.6	5.8	1.0
28	6.6	6.7	20.7	21.5	-	2.0	-	3.8	11.7	3.2
29	13.5	12.6	10.9	23.3	-	6.0	-	7.4	22.1	8.3
30	20.0	17.9	4.8	16.5	-	14.5	-	10.8	24.7	13.5
31	22.0	19.1	1.9	9.3	-	20.9	-	13.0	14.8	15.5
32	17.4	16.5	0.4	4.9	-	20.1	-	18.0	11.3	14.5
33	9.8	11.4	0.1	2.1	-	17.9	-	22.7	6.0	11.4
34	4.1	6.4	*	0.7	-	12.3	-	14.2	1.7	10.8
35	1.4	3.0	*	0.2	-	4.5	-	5.9	0.2	9.7
36 & above	0.7	1.5	-	*	-	1.2	-	1.9	0.1	11.6
<b>Average</b>	<b>30.7</b>	<b>30.9</b>	<b>27.1</b>	<b>28.8</b>	-	<b>31.8</b>	-	<b>31.9</b>	<b>29.9</b>	<b>32.2</b>
MIKE										
24 & below	0.1	*	-	*	-	-	-	-	-	*
25	*	*	-	*	-	-	-	-	-	*
26	*	0.1	-	*	-	-	-	-	0.1	*
27	*	0.2	-	*	-	*	-	-	0.1	*
28	*	0.4	*	*	-	*	-	-	0.4	0.1
29	0.1	0.8	*	*	-	*	-	*	0.3	0.1
30	0.2	1.2	0.1	*	-	*	-	*	0.5	0.1
31	0.3	1.8	0.1	*	-	0.1	-	*	0.7	0.2
32	0.8	2.5	0.2	*	-	0.1	-	*	0.7	0.2
33	1.1	3.3	0.3	0.1	-	0.3	-	*	0.8	0.3
34	1.9	4.3	0.5	0.1	-	0.5	-	*	0.9	0.4
35	3.0	5.4	0.8	0.2	-	0.8	-	*	0.8	0.6
36	4.8	6.4	1.0	0.3	-	1.1	-	*	1.1	0.9
37	6.8	7.5	1.6	0.5	-	1.7	-	*	1.0	1.3
38	8.5	8.4	2.4	0.7	-	2.2	-	*	1.0	2.0
39	10.4	9.1	2.8	1.1	-	3.2	-	0.1	1.4	2.8
40	11.5	9.5	3.0	1.6	-	4.2	-	0.2	1.5	3.9
41	11.9	9.1	4.0	2.3	-	5.0	-	0.5	2.6	5.5
42	10.8	8.3	4.9	3.4	-	6.3	-	0.6	5.7	6.8
43	8.9	6.9	5.9	5.1	-	7.2	-	1.1	7.3	8.5
44	7.3	5.2	8.5	7.2	-	7.8	-	2.1	9.9	9.7
45	4.8	3.7	10.6	9.5	-	8.6	-	2.9	8.9	9.5
46	3.2	2.4	11.5	11.7	-	8.5	-	4.3	9.4	9.7
47	1.9	1.5	11.3	13.1	-	8.7	-	6.6	11.7	9.5
48	0.9	0.9	9.8	13.0	-	8.2	-	9.6	10.1	8.9
49	0.5	0.5	8.2	11.5	-	7.1	-	13.2	10.6	6.8
50	0.2	0.2	5.5	8.7	-	6.0	-	15.6	8.5	5.5
51	0.1	0.1	3.5	5.4	-	4.8	-	15.5	3.4	3.8
52	*	*	2.4	2.8	-	3.6	-	13.8	0.3	2.1
53	-	*	0.8	1.1	-	2.3	-	9.4	0.1	0.7
54	-	*	0.3	0.3	-	1.2	-	3.7	*	0.1
55	-	*	*	0.1	-	0.5	-	0.7	*	*
56	-	*	*	*	-	0.2	-	0.1	-	*
57	-	-	*	*	-	*	-	*	-	*
58	-	-	-	*	-	*	-	-	-	*
59	-	-	-	-	-	-	-	-	-	*
60 & above	-	-	-	-	-	-	-	-	-	*
<b>Average</b>	<b>40</b>	<b>39</b>	<b>45</b>	<b>47</b>	-	<b>45</b>	-	<b>50</b>	<b>45</b>	<b>45</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending January 28, 2016**

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	0.1	*	-	*	-	*	-	-	0.1	0.1
25 - 26	0.3	0.1	-	*	-	*	-	*	0.1	0.1
27 - 29	0.6	0.3	-	*	-	*	-	*	0.3	0.3
30 - 32	2.4	1.2	-	0.2	-	*	-	0.1	1.2	1.2
33 - 34	3.1	2.3	-	0.9	-	*	-	0.1	1.9	1.9
35 - 36	4.3	4.9	-	2.7	-	0.1	-	0.2	2.9	2.9
37 - 42	24.8	35.5	-	31.3	-	3.3	11.3	4.1	36.4	36.4
43 - 49	59.6	52.1	-	56.9	-	45.0	37.4	52.1	56.1	56.1
50 - 52	4.4	3.6	-	7.6	-	36.2	46.1	34.1	1.0	1.0
53 & above	0.4	0.1	-	0.5	-	15.4	5.3	9.3	*	*
<b>Average</b>	<b>43</b>	<b>43</b>	-	<b>44</b>	-	<b>49</b>	<b>48</b>	<b>49</b>	<b>43</b>	<b>43</b>
HVI TRASH 1/										
00	-	*	-	*	-	-	-	-	*	*
01	2.3	10.0	-	7.5	-	2.1	0.1	0.3	5.9	6.4
02	15.8	19.2	-	21.6	-	14.1	10.6	6.1	23.7	19.5
03	21.7	20.1	-	23.9	-	23.0	37.6	18.5	26.7	21.5
04	19.1	16.6	-	19.4	-	21.8	30.6	25.2	18.7	17.5
05	14.4	12.0	-	12.6	-	16.4	13.9	21.5	11.0	12.5
06	9.6	8.0	-	7.1	-	10.6	4.4	14.0	6.2	8.4
07	6.0	5.1	-	3.7	-	6.1	1.4	7.6	3.5	5.4
08	3.9	3.3	-	1.9	-	3.1	0.8	3.7	1.9	3.4
09	2.4	2.1	-	0.9	-	1.5	0.3	1.7	1.0	2.1
10	1.7	1.3	-	0.5	-	0.7	0.2	0.7	0.6	1.3
11	1.1	0.9	-	0.3	-	0.3	0.1	0.3	0.3	0.8
12	0.6	0.5	-	0.2	-	0.2	-	0.1	0.2	0.5
13	0.4	0.3	-	0.1	-	0.1	-	*	0.1	0.3
14	0.3	0.2	-	0.1	-	*	-	*	*	0.2
15	0.2	0.1	-	*	-	*	-	*	*	0.1
16	0.1	0.1	-	*	-	*	-	*	*	*
17	0.1	0.1	-	*	-	*	-	*	*	*
18 & above	0.1	0.1	-	*	-	*	-	*	*	*
<b>Average</b>	<b>0.46</b>	<b>0.41</b>	-	<b>0.37</b>	-	<b>0.43</b>	<b>0.37</b>	<b>0.47</b>	<b>0.36</b>	<b>0.42</b>
UNIFORMITY 2/										
72.4 & below	-	-	-	*	-	-	-	*	-	*
72.5-73.4	-	-	-	*	-	-	-	*	-	*
73.5-74.4	*	*	-	*	-	-	0.1	*	*	*
74.5-75.4	*	*	-	*	-	-	0.2	*	*	*
75.5-76.4	0.3	0.2	-	0.2	-	-	0.3	0.1	0.1	0.2
76.5-77.4	1.3	0.9	-	0.8	-	*	1.0	1.1	0.8	1.2
77.5-78.4	4.6	4.2	-	2.5	-	0.1	2.1	4.1	4.6	4.9
78.5-79.4	15.3	13.8	-	7.3	-	0.5	11.2	12.5	19.3	14.4
79.5-80.4	28.9	26.1	-	17.0	-	3.8	49.0	27.1	35.2	29.5
80.5-81.4	27.9	27.9	-	30.3	-	18.3	30.7	32.6	30.5	32.4
81.5-82.4	16.3	19.6	-	29.5	-	44.5	4.3	17.7	8.4	14.2
82.5-83.4	5.0	6.4	-	10.9	-	28.4	1.1	4.1	1.1	2.9
83.5-84.4	0.4	0.8	-	1.6	-	4.1	-	0.5	0.1	0.3
84.5-85.4	*	*	-	0.1	-	0.4	-	*	-	*
85.5-86.4	*	*	-	*	-	*	-	*	-	*
86.5-87.4	*	*	-	-	-	*	-	-	-	*
87.5-88.4	-	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>80.4</b>	<b>80.6</b>	-	<b>81.1</b>	-	<b>82.0</b>	<b>80.1</b>	<b>80.5</b>	<b>80.1</b>	<b>80.4</b>
Tenderable 3/	<b>49.9</b>	<b>65.1</b>	-	<b>64.8</b>	-	<b>43.1</b>	<b>6.9</b>	<b>16.4</b>	<b>70.5</b>	<b>70.3</b>
SAMPLES CLASSED										
Week	<b>58,628</b>		-		-		<b>1,252</b>		<b>59,388</b>	
Season		<b>917,984</b>		<b>757,798</b>				<b>790,035</b>		<b>1,510,477</b>

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending January 28, 2016**

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	0.1	*	-	*	-	-	-	-	-	*
25 - 26	*	0.1	-	*	-	-	-	-	0.1	*
27 - 29	0.1	1.4	*	*	-	*	-	*	0.8	0.2
30 - 32	1.3	5.5	0.3	0.1	-	0.2	-	*	1.9	0.5
33 - 34	3.0	7.6	0.8	0.2	-	0.8	-	*	1.7	0.7
35 - 36	7.9	11.8	1.9	0.5	-	1.9	-	*	1.9	1.5
37 - 42	59.9	52.0	18.7	9.6	-	22.5	-	1.4	13.2	22.3
43 - 49	27.4	21.1	65.9	71.1	-	56.0	-	39.8	68.0	62.5
50 - 52	0.3	0.4	11.3	16.9	-	14.4	-	44.8	12.3	11.5
53 & above	-	*	1.1	1.5	-	4.2	-	13.9	0.1	0.9
<b>Average</b>	<b>40</b>	<b>39</b>	<b>45</b>	<b>47</b>	-	<b>45</b>	-	<b>50</b>	<b>45</b>	<b>45</b>
HVI TRASH 1/										
00	-	*	-	-	-	-	-	-	-	*
01	1.7	3.6	0.3	0.5	-	0.7	-	3.1	1.5	19.9
02	12.0	13.8	6.4	9.4	-	8.0	-	17.1	20.6	36.9
03	21.5	19.6	19.6	24.0	-	18.4	-	24.2	23.5	21.2
04	21.2	18.9	26.6	26.2	-	21.9	-	22.3	13.7	10.9
05	16.5	15.3	21.9	19.2	-	18.6	-	15.4	9.6	5.2
06	11.2	10.9	13.2	11.1	-	13.1	-	8.9	7.5	2.5
07	6.8	7.1	6.9	5.5	-	8.4	-	4.7	6.7	1.4
08	4.1	4.4	2.9	2.5	-	5.0	-	2.3	5.2	0.8
09	2.3	2.7	1.2	1.0	-	2.9	-	1.1	4.4	0.5
10	1.2	1.6	0.6	0.4	-	1.6	-	0.6	2.7	0.3
11	0.7	0.9	0.2	0.2	-	0.9	-	0.2	1.6	0.2
12	0.4	0.5	0.1	0.1	-	0.4	-	0.1	1.2	0.1
13	0.2	0.3	0.1	*	-	0.1	-	*	0.8	0.1
14	0.1	0.2	*	*	-	0.1	-	*	0.5	*
15	0.1	0.1	*	*	-	*	-	*	0.2	*
16	*	*	*	*	-	*	-	*	0.1	*
17	*	*	*	*	-	*	-	*	0.2	*
18 & above	*	*	*	*	-	*	-	*	0.3	*
<b>Average</b>	<b>0.46</b>	<b>0.46</b>	<b>0.46</b>	<b>0.43</b>	-	<b>0.49</b>	-	<b>0.40</b>	<b>0.48</b>	<b>0.27</b>
UNIFORMITY 2/										
72.4 & below	-	-	-	-	-	-	-	-	-	-
72.5-73.4	-	-	-	-	-	-	-	-	-	-
73.5-74.4	*	*	-	*	-	*	-	-	-	-
74.5-75.4	0.1	0.1	*	*	-	*	-	*	*	*
75.5-76.4	0.4	0.4	*	*	-	*	-	*	0.1	*
76.5-77.4	2.0	1.8	0.6	0.1	-	*	-	*	0.8	0.2
77.5-78.4	6.8	6.2	3.1	0.5	-	0.1	-	0.2	4.7	1.4
78.5-79.4	17.2	16.2	11.0	2.6	-	0.4	-	1.0	14.9	6.7
79.5-80.4	27.3	28.0	24.3	10.8	-	2.5	-	4.9	27.2	21.7
80.5-81.4	27.5	27.5	31.3	28.7	-	12.0	-	17.5	36.4	33.8
81.5-82.4	13.9	14.7	21.9	36.9	-	30.7	-	32.3	13.8	24.9
82.5-83.4	4.0	4.3	6.8	17.3	-	39.0	-	35.6	1.5	8.9
83.5-84.4	0.6	0.7	0.9	2.9	-	14.1	-	7.9	0.4	2.1
84.5-85.4	*	0.1	*	0.2	-	1.1	-	0.6	0.1	0.2
85.5-86.4	*	*	*	*	-	*	-	*	-	*
86.5-87.4	-	*	-	*	-	*	-	-	-	-
87.5-88.4	-	*	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>80.3</b>	<b>80.3</b>	<b>80.8</b>	<b>81.6</b>	-	<b>82.5</b>	-	<b>82.2</b>	<b>80.4</b>	<b>81.0</b>
Tenderable 3/	<b>55.1</b>	<b>61.5</b>	<b>28.0</b>	<b>47.7</b>	-	<b>71.9</b>	-	<b>37.1</b>	<b>57.9</b>	<b>81.9</b>
SAMPLES CLASSED										
Week	<b>69,985</b>		<b>24,051</b>		-				<b>8,933</b>	
Season			<b>2,470,606</b>		<b>2,655,379</b>		<b>1,336,330</b>		<b>207,825</b>	<b>445,540</b>

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. \* Less than 0.05 percent.

**QUALITY OF AMERICAN PIMA COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**

For The Week Ending January 28, 2016

Color Grade	Leaf	VISALIA		Quality Designation	VISALIA	
		Week	Season		Week	Season
01	1	1.3	15.8	MIKE	-	-
	2	6.3	16.1	24 & below	-	*
	3	0.2	0.7	25-26	-	*
	4	-	*	27-29	0.3	0.5
	5	-	-	30-32	2.6	1.7
	6	-	-	33-34	6.0	3.2
	7	-	-	35-36	11.0	9.3
	<b>Total -----</b>	<b>7.8</b>	<b>32.6</b>	37-42	68.5	76.9
	1	1.4	4.5	43-49	11.6	8.4
	2	34.1	29.1	50-52	-	*
02	3	8.6	9.7	53 & above	-	*
	4	*	0.5	<b>Average</b>	<b>39</b>	<b>39</b>
	5	-	*	ALL RANGE MIKE		
	6	-	*	24 & below	-	-
	7	-	-	25	-	*
	<b>Total -----</b>	<b>44.2</b>	<b>43.7</b>	26	-	*
	1	0.3	0.2	27	-	0.1
	2	21.4	7.4	28	*	0.2
03	3	18.1	9.0	29	0.2	0.3
	4	2.0	1.7	30	0.2	0.4
	5	0.1	0.1	31	0.9	0.5
	6	*	*	32	1.5	0.8
	7	-	*	33	3.2	1.2
	<b>Total -----</b>	<b>41.9</b>	<b>18.3</b>	34	2.9	2.0
	1	-	*	35	4.0	3.5
04	2	0.8	0.7	36	6.9	5.8
	3	2.9	2.3	37	6.4	8.7
	4	1.4	0.9	38	5.9	11.6
	5	0.2	0.2	39	11.4	14.8
	6	0.1	*	40	17.4	17.7
	7	-	*	41	15.9	14.6
	<b>Total -----</b>	<b>5.4</b>	<b>4.1</b>	42	11.5	9.5
05	1	-	*	43	6.0	4.9
	2	*	0.1	44	3.5	2.2
	3	0.1	0.3	45	1.6	0.8
	4	0.1	0.3	46	0.5	0.4
	5	0.1	0.1	47	*	0.1
	6	*	0.1	48	-	*
	7	-	*	49	-	*
<b>Total -----</b>	<b>0.4</b>	<b>0.9</b>	50	-	*	*
06	1	-	*	51	-	*
	2	-	*	52	-	*
	3	-	*	53	-	*
	4	*	0.1	54	-	*
	5	*	*	55	-	-
	6	0.1	*	56	-	-
	7	0.2	0.1	57	-	-
<b>Total -----</b>	<b>0.3</b>	<b>0.2</b>	58	-	-	-
07	1	-	-	59	-	-
	2	-	-	60 & above	-	-
	3	-	*	<b>Average</b>	<b>39</b>	<b>39</b>
	4	-	*	Strength		
	5	-	*	17 & below	-	-
	6	-	*	18	-	-
	7	0.1	*	19	-	-
<b>Total -----</b>	<b>0.1</b>	<b>*</b>	20	-	-	-
<b>STAPLE</b>				21	-	-
40 & shorter		-	*	22	-	-
42		0.1	*	23	-	-
44		2.1	0.9	24	-	-
46		26.4	15.5	25	-	-
48 & longer		71.3	83.6	26	-	-
<b>Average</b>		<b>47.5</b>	<b>47.9</b>	27	-	-
<b>UNIFORMITY</b>				28	-	-
72.4 & below		-	-	29	-	-
72.5-73.4		-	-	30	-	-
73.5-74.4		-	-	31	*	*
74.5-75.4		-	-	32	*	*
75.5-76.4		-	-	33	-	*
76.5-77.4		-	-	34	0.1	*
77.5-78.4		-	-	35	*	*
78.5-79.4		-	-	36	0.2	0.4
79.5-80.4		-	-	37	0.3	1.2
80.5-81.4		-	*	38	2.3	2.6
81.5-82.4		*	0.1	39	7.2	2.9
82.5-83.4		0.4	0.4	40	16.9	3.4
83.5-84.4		7.6	4.4	41	15.7	5.7
84.5-85.4		32.1	23.3	42	17.1	10.2
85.5-86.4		51.4	54.1	43	14.3	14.5
86.5-87.4		7.9	16.7	44	10.9	19.0
87.5-88.4		0.5	1.0	45 & above	14.9	40.1
88.5-89.4		0.1	*	<b>Average</b>	<b>42.0</b>	<b>43.6</b>
89.5 & above		-	-	EXTRANEOUS MATTER		
<b>Average</b>		<b>85.6</b>	<b>85.8</b>	Bark	0.4	0.2
<b>SAMPLES CLASSED</b>				Grass	*	*
Week		9,109		Spindle Twist	0.1	0.3
Season			414,095	Preparation	-	*

\* Less than 0.05 percent.



**Cotton and Tobacco Program**  
**3275 Appling Road, Memphis, TN 38133**  
(901) 384-3016

## Extraneous Matter By Classing Office

29-Jan-16

**Percentage of Extraneous Matter by specified causes of upland cotton classed in the United States, by Classing Office  
For the Week ending Thursday, January 28, 2016**

Classing Office	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
	*	-	26.8%	-	*	-	-	-	-	-	-	-	-	-	26.8%	-	58,628
Abilene	*	-	26.8%	-	*	-	-	-	-	-	-	-	-	-	-	-	-
Corpus Christi	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dumas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Florence	-	-	-	-	-	-	-	0.1%	-	-	-	-	-	-	0.1%	-	1,252
Lamesa	*	-	22.8%	-	*	-	-	-	-	-	-	-	-	-	22.8%	-	59,388
Lubbock	*	-	39.1%	-	*	-	*	-	-	-	-	-	-	-	39.1%	-	69,985
Macon	17.1%	-	3.4%	-	*	-	12.1%	-	-	-	0.2%	-	*	-	32.8%	-	24,051
Memphis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rayville	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Visalia	-	-	27.6%	-	-	-	-	-	-	-	-	-	-	-	27.6%	-	8,933
United States	1.9%	-	26.9%	-	*	-	1.3%	-	-	-	*	-	*	-	30.1%	*	222,237

\* Less than 0.05 percent.

**Percentage of Extraneous Matter by specified causes of upland cotton classed in the United States, by Classing Office  
For the Season ending Thursday, January 28, 2016**

Classing Office	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed	
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2		
	*	-	14.4%	*	*	-	*	-	-	-	*	-	*	-	14.4%	*	917,984	
Abilene	*	-	5.6%	*	0.5%	*	0.2%	*	*	-	*	-	*	-	6.4%	*	757,798	
Corpus Christi	*	-	1.2%	-	0.1%	-	*	-	*	-	-	-	*	-	1.3%	-	603,109	
Dumas	*	-	2.0%	-	*	-	*	-	-	-	-	-	-	-	2.1%	-	790,035	
Florence	*	-	14.3%	-	*	-	*	-	*	-	-	-	-	-	14.3%	-	1,510,477	
Lamesa	*	*	22.9%	-	*	-	*	-	-	-	-	-	*	-	23.0%	*	2,470,606	
Lubbock	5.4%	*	2.4%	*	0.1%	*	4.6%	-	-	-	*	*	*	*	12.5%	*	2,655,379	
Macon	0.2%	-	1.5%	-	*	-	*	-	*	-	*	-	*	-	1.7%	-	1,336,330	
Memphis	*	-	0.7%	-	0.1%	-	*	-	-	-	-	-	*	-	0.8%	-	207,825	
Rayville	*	-	1.7%	-	0.1%	-	0.3%	-	-	-	*	-	*	-	2.1%	-	445,540	
Visalia	*	*	9.2%	*	0.1%	*	1.1%	*	*	-	*	*	*	*	-	11.6%	*	11,695,083
United States	1.3%	*	9.2%	*	0.1%	*	1.1%	*	*	-	*	*	*	*	-	*	-	

\* Less than 0.05 percent.